

Handle collection 2023

* On 30 cm wide units handles with drilling dimensions 224, 288 and 320 mm are not available. The following are alternative handles:
751 = 740, 784 = 725, 786 = 586, 789 = 723, 792 = 592, 793 = 593



148 stainless steel coloured



Height 44 mm
⊕

150 stainless steel coloured



Height 28 mm
⊕

151 antique grey



Height 28 mm
⊕

152 antique-brown



Height 28 mm
⊕

153 black



Height 35 mm
⊕

154 black



Height 28 mm
⊕

155 cast iron black



Height 27 mm
⊕

157 gold matt




Height 25 mm
⊕
N

27201 stainless steel coloured



Height 30 mm
⊕⊕ 32 mm

27215 black



Height 30 mm
⊕⊕ 32 mm

27216 brushed brass



Height 30 mm
⊕⊕ 32 mm



311 antique-brown




Height 22 mm
⊕⊕ 64 mm

314 antique grey



Height 22 mm
⊕⊕ 64 mm

417 stainless steel coloured



Height 30 mm
⊕⊕ 128 mm

422 stainless steel coloured




Height 25 mm
⊕⊕ 128 mm

470 stainless steel coloured



Height 46 mm
⊕⊕ 128 mm

485 stainless steel coloured



Height 36 mm
⊕⊕ 128 mm

494 antique-brown



Height 30 mm
⊕⊕ 128 mm

497 antique-brown



Height 40 mm
⊕⊕ 128 mm

510 ancient black matt



Height 25 mm
⊕⊕ 160 mm

511 stainless steel coloured



Height 30 mm
⊕⊕ 160 mm


512 black




Height 30 mm
⊕⊕ 160 mm

Handle collection 2023

* On 30 cm wide units handles with drilling dimensions 224, 288 and 320 mm are not available. The following are alternative handles:
751 = 740, 784 = 725, 786 = 586, 789 = 723, 792 = 592, 793 = 593



513 stainless steel coloured



Height 30 mm
⊕⊕ 160 mm

516 stainless steel coloured



Height 32 mm
⊕⊕ 160 mm

518 brown matt



Height 30 mm
⊕⊕ 160 mm

521 stainless steel coloured



Height 31 mm
⊕⊕ 160 mm

524 stainless steel coloured




Height 32 mm
⊕⊕ 160 mm

531 stainless steel coloured



Height 30 mm
⊕⊕ 160 mm

541 stainless steel coloured



Height 36 mm
⊕⊕ 160 mm

547 bronze coloured



Height 30 mm
⊕⊕ 160 mm

580 stainless steel coloured



Height 27 mm
⊕⊕ 160 mm

586 stainless steel coloured




Height 39 mm
⊕⊕ 160 mm

589 black



Height 32 mm
⊕⊕ 160 mm



591 platinum




Height 30 mm
⊕⊕ 160 mm

592 black



Height 31 mm
⊕⊕ 160 mm
curved

593 black



Height 29 mm
⊕⊕ 160 mm
curved

594 platinum



Height 30 mm
⊕⊕ 160 mm

595 ancient black matt




Height 27 mm
⊕⊕ 160 mm

596 black




Height 30 mm
⊕⊕ 160 mm

597 titanium




Height 30 mm
⊕⊕ 160 mm

707 stainless steel coloured




Height 32 mm
⊕⊕ 192 mm

723 black-brown



Height 32 mm
⊕⊕ 192 mm

725 black



Height 32 mm
⊕⊕ 192 mm



726 platinum



Height 30 mm
⊕⊕ 192 mm

Handle collection 2023

* On 30 cm wide units handles with drilling dimensions 224, 288 and 320 mm are not available. The following are alternative handles:
751 = 740, 784 = 725, 786 = 586, 789 = 723, 792 = 592, 793 = 593




728 gold matt




Height 35 mm
⊕⊕ 192 mm
N

831 stainless steel coloured



Height 36 mm
⊕⊕ 150 mm

732 stainless steel coloured



Height 25 mm
⊕⊕ 192 mm

740 stainless steel coloured



Height 36 mm
⊕⊕ 192 mm

741 stainless steel coloured



Height 40 mm
⊕⊕ 192 mm

751 stainless steel coloured



Height 36 mm
⊕⊕ 224 mm *

770 stainless steel coloured




Height 46 mm
⊕⊕ 288 mm *

784 black




Height 32 mm
⊕⊕ 320 mm *

786 stainless steel coloured




Height 39 mm
⊕⊕ 320 mm *

789 black-brown



Height 32 mm
⊕⊕ 320 mm *

792 black




Height 31 mm
⊕⊕ 320 mm *
curved

793 black



Height 29 mm
⊕⊕ 320 mm *
curved


Bar handles



811 stainless steel coloured




Height 36 mm
⊕⊕ see table



From a door height of 892 mm or panel width of 896 mm the bar handle will have 3 feet.


Front heights Front widths	Drilling hole distance	Handle length
296 mm (30)	150 mm	163 mm
396 mm (40)	250 mm	263 mm
446 mm (45)	300 mm	313 mm
496 mm (50)	350 mm	363 mm
546 mm (55)	350 mm	363 mm
596 mm (60)	450 mm	463 mm
746 mm (75)	450 mm	463 mm
796 mm (80)	650 mm	663 mm
896 mm (90)	2 x 375 mm	763 mm
996 mm (100)	2 x 425 mm	863 mm
1196 mm (120)	2 x 525 mm	1063 mm
508 mm	362 mm	375 mm
636 mm	490 mm	503 mm
700 mm	554 mm	567 mm
764 mm	618 mm	631 mm
828 mm	2 x 340 mm	695 mm
892 mm	2 x 373 mm	759 mm
924 mm	2 x 389 mm	791 mm
988 mm	2 x 421 mm	855 mm
1052 mm	2 x 453 mm	919 mm
1116 mm	2 x 485 mm	983 mm
1180 mm	2 x 517 mm	1047 mm
1244 mm	2 x 549 mm	1111 mm
1308 mm	2 x 551 mm	1175 mm
1436 mm	2 x 645 mm	1303 mm
1564 mm	2 x 709 mm	1431 mm
> 1564 mm	618 mm	631 mm



840 stainless steel coloured



Height 30 mm
⊕⊕ see table



On doors with a width smaller than 296 mm, bar handles with handle length 182 mm will be supplied fitted vertically.


Front heights Front widths	Drilling hole distance	Handle length
296 mm (30)	150 mm	182 mm
396 mm (40)	250 mm	282 mm
446 mm (45)	300 mm	332 mm
496 mm (50)	350 mm	382 mm
546 mm (55)	350 mm	382 mm
596 mm (60)	450 mm	482 mm
746 mm (75)	450 mm	482 mm
796 mm (80)	650 mm	682 mm
896 mm (90)	2 x 375 mm	782 mm
996 mm (100)	2 x 425 mm	882 mm
1196 mm (120)	2 x 525 mm	1082 mm



842 black




Height 35 mm
⊕⊕ see table



On doors with a width smaller than 296 mm, bar handles with handle length 170 mm will be supplied fitted vertically.

Front heights Front widths	Drilling hole distance	Handle length
296 mm (30)	150 mm	170 mm
396 mm (40)	250 mm	270 mm
446 mm (45)	300 mm	320 mm
496 mm (50)	350 mm	370 mm
546 mm (55)	350 mm	370 mm
596 mm (60)	450 mm	470 mm
746 mm (75)	450 mm	470 mm
796 mm (80)	650 mm	670 mm
896 mm (90)	2 x 375 mm	770 mm
996 mm (100)	2 x 425 mm	870 mm
1196 mm (120)	2 x 525 mm	1070 mm



843 brushed brass




Height 35 mm
⊕⊕ see table



On doors with a width smaller than 296 mm, bar handles with handle length 170 mm will be supplied fitted vertically.


Front heights Front widths	Drilling hole distance	Handle length
296 mm (30)	150 mm	170 mm
396 mm (40)	250 mm	270 mm
446 mm (45)	300 mm	320 mm
496 mm (50)	350 mm	370 mm
546 mm (55)	350 mm	370 mm
596 mm (60)	450 mm	470 mm
746 mm (75)	450 mm	470 mm
796 mm (80)	650 mm	670 mm
896 mm (90)	2 x 375 mm	770 mm
996 mm (100)	2 x 425 mm	870 mm
1196 mm (120)	2 x 525 mm	1070 mm



850 stainless steel-coloured / chrome gloss




Height 53 mm
⊕⊕ see table




On doors with a width smaller than 296 mm, bar handles with handle length 170 mm will be supplied fitted vertically.

Front heights Front widths	Drilling hole distance	Handle length
296 mm (30)	150 mm	170 mm
396 mm (40)	250 mm	270 mm
446 mm (45)	300 mm	320 mm
496 mm (50)	350 mm	370 mm
546 mm (55)	350 mm	370 mm
596 mm (60)	450 mm	470 mm
746 mm (75)	450 mm	470 mm
796 mm (80)	650 mm	670 mm
896 mm (90)	750 mm	770 mm
996 mm (100)	850 mm	870 mm
1196 mm (120)	1050 mm	1070 mm




Corner solutions
With drawers (SK) and pull-outs (AZ) on corner solutions the planning dimension mustn't fall below of 650 x 650 mm.
Due to technical reasons an opening angel of 107° isn't achievable.



Corner solutions
With drawers (SK) / pull-outs (AZ) and hinged doors with opening angle 96° on corner solutions the planning dimension mustn't fall below of 650 x 750 mm respectively 750 x 650 mm.
With corner base units the maximum planning dimension is 750 mm.
Due to technical reasons an opening angel of 107° isn't achievable.

Handle combination



714 consisting of:

151 antique grey



Height 28 mm
⊕ 0 mm

314 antique grey



Height 22 mm
⊕⊕ 64 mm

Panels and pull-outs are supplied with the corresponding handle.
Doors and flap doors are supplied with the illustrated knobs.

715 consisting of:

152 antique-brown




Height 28 mm
⊕ 0 mm

311 antique-brown



Height 22 mm
⊕⊕ 64 mm

Panels and pull-outs are supplied with the corresponding handle.
Doors and flap doors are supplied with the illustrated knobs.



99301 consisting of:

150 stainless steel coloured



Height 28 mm
⊕ 0 mm

99301 stainless steel coloured



Height 2 mm
⊕ 192 mm

Framed glass doors and flaps will be supplied with knob 150.
Sole supply of the rail handle is not possible since it is front integrated.
Only available on door width with minimum 296 mm.
Not appropriate for cabinets with refrigerator/freezer.


99315 consisting of:

154 black



Height 28 mm
⊕ 0 mm


99315 black



Height 2 mm
⊕ 192 mm

Framed glass doors and flaps will be supplied with knob 154.
Sole supply of the rail handle is not possible since it is front integrated.
Only available on door width with minimum 296 mm.
Not appropriate for cabinets with refrigerator/freezer.

Handle strips



980 stainless steel coloured



Height 20 mm
⊕
Not possible on fronts of 746 mm width.

982 black




Height 20 mm
⊕
Not possible on fronts of 746 mm width.

983 Brushed steel



Height 18 mm
⊕
Not possible on fronts of 746 mm width.


**Horizontal (H)**

Arrangement of the handle drilling horizontal on doors, centrally horizontal on panels and flap doors.

For handles with a 128 mm, 150 mm, 160 mm and 192 mm drilling hole distance, the handles are installed vertically on doors with a width of 246 mm and less!


**Vertical (V)**

Arrangement of the handle drilling vertical on doors, centrally horizontal on panels and flap doors.

**Horizontal central (M)**


Position of handle drilling horizontal central on doors, panels and flap doors.

For handles with a 128 mm, 150 mm, 160 mm, 192 mm and 224 mm drilling hole distance, the handles are installed vertically on doors with a width of 246 mm and less!

**Bar handle**


811

Pharmacy-style pull-outs are supplied with a horizontal bar handle.

**Bar handle**

840, 842, 843, 850

The bar handle, with a drilling hole distance of 150 mm, will be installed vertically on doors with a width of less than 296 mm.

**Handle strips**

980, 982, 983