







Handle collection

P C

* On 30 cm wide units handles with drilling dimensions 224 and 320 mm are only available with vertical handle position.









* On 40 cm wide units handles with drilling dimensions 320 mm are only available with vertical handle position.

The following are alternative handles with horizontal handle position: 751 = 740, 784 = 725, 789 = 723, 792 = 592, 794 = 543, 795 = 544

H	V	M	Handle arrangement ● = possible	Surcharge (points)	H	V	M	Handle arrangement ● = possible	Surcharge (points)
140 brilliant chrome			●	-	27215 black			●	32
	Height 44 mm ⊕					Height 30 mm ⊕⊕ 32 mm			
142 black			●	50	27216 brushed brass			●	32
	Height 17 mm ⊕					Height 30 mm ⊕⊕ 32 mm			
144 bronze			●	-	276 brushed brass matted			●	-
	Height 24 mm ⊕					Height 22 mm ⊕⊕ 32 mm			
150 stainless steel coloured			●	-	277 bronze matted			●	-
	Height 28 mm ⊕					Height 22 mm ⊕⊕ 32 mm			
152 antique brown			●	10	311 antique brown			●	10
	Height 28 mm ⊕					Height 22 mm ⊕⊕ 64 mm			
153 black			●	18	333 Frosted brass			●	22
	Height 35 mm ⊕					Height 28 mm ⊕⊕			
154 black			●	-	417 stainless steel coloured			●	-
	Height 28 mm ⊕					Height 30 mm ⊕⊕ 128 mm			
155 cast iron black			●	-	485 stainless steel coloured			●	-
	Height 27 mm ⊕					Height 36 mm ⊕⊕ 128 mm			
158 gold matt			●	13	494 antique brown			●	10
	Height 30 mm ⊕					Height 30 mm ⊕⊕ 128 mm			
159 bronze			●	-	497 antique brown			●	15
	Height 44 mm ⊕					Height 40 mm ⊕⊕ 128 mm			
27201 stainless steel coloured			●	-	510 black matt antique			●	13
	Height 30 mm ⊕⊕ 32 mm					Height 25 mm ⊕⊕ 160 mm			

Handle collection

* On 30 cm wide units handles with drilling dimensions 224 and 320 mm are only available with vertical handle position.
* On 40 cm wide units handles with drilling dimensions 320 mm are only available with vertical handle position.
The following are alternative handles with horizontal handle position: 751 = 740, 784 = 725, 789 = 723, 792 = 592, 794 = 543, 795 = 544

V M			Handle arrange- ment ● = possible	Surcharge (points)	V M			Handle arrange- ment ● = possible	Surcharge (points)								
			H	V	M				H	V	M						
511 stainless steel coloured					●	●	●	13	538 black matt					●	●	●	-
			Height 30 mm ⊕⊕ 160 mm								Height 35 mm ⊕⊕ 160 mm						
512 black matt antique					●	●	●	13	539 brushed brass matt					●	●	●	-
			Height 30 mm ⊕⊕ 160 mm								Height 37 mm ⊕⊕ 160 mm						
513 stainless steel coloured					●	●	●	-	540 black super matt					●	●	●	-
			Height 30 mm ⊕⊕ 160 mm								Height 37 mm ⊕⊕ 160 mm						
516 stainless steel coloured					●	●	●	13	541 stainless steel coloured					●	●	●	-
			Height 32 mm ⊕⊕ 160 mm								Height 36 mm ⊕⊕ 160 mm						
518 brown matt					●	●	●	13	542 black					●	●	●	81
			Height 30 mm ⊕⊕ 160 mm								Height 23 mm ⊕⊕ 160 mm						
521 stainless steel coloured					●	●	●	-	543 brushed brass matted					●	●	●	15
			Height 31 mm ⊕⊕ 160 mm								Height 22 mm ⊕⊕ 160 mm						
524 stainless steel coloured					●	●	●	-	544 bronze matted					●	●	●	15
			Height 32 mm ⊕⊕ 160 mm								Height 22 mm ⊕⊕ 160 mm						
531 stainless steel coloured					●	●	●	13	547 bronze coloured					●	●	●	13
			Height 30 mm ⊕⊕ 160 mm								Height 30 mm ⊕⊕ 160 mm						
534 bronze light					●	●	●	18	551 brilliant platinum					●	●	●	18
			Height 19 mm ⊕⊕ 160 mm								Height 30 mm ⊕⊕ 160 mm						
536 black					●	●	●	-	552 bronze brushed					●	●	●	29
			Height 19 mm ⊕⊕ 160 mm								Height 36 mm ⊕⊕ 160 mm						
537 brass matt					●	●	●	15	553 brass matt					●	●	●	-
			Height 35 mm ⊕⊕ 160 mm								Height 35 mm ⊕⊕ 160 mm						












Handle collection

P C

* On 30 cm wide units handles with drilling dimensions 224 and 320 mm are only available with vertical handle position.



* On 40 cm wide units handles with drilling dimensions 320 mm are only available with vertical handle position.

The following are alternative handles with horizontal handle position: 751 = 740, 784 = 725, 789 = 723, 792 = 592, 794 = 543, 795 = 544





H V M			Handle arrangement ● = possible	Surcharge (points)	H V M			Handle arrangement ● = possible	Surcharge (points)				
H	V	M			H	V	M						
554 wool white		Height 26 mm ⊕⊕ 160 mm N	●	●	●	-	726 platinum		Height 30 mm ⊕⊕ 192 mm	●	●	●	-
555 pebble grey		Height 26 mm ⊕⊕ 160 mm N	●	●	●	-	730 gold		Height 28 mm ⊕⊕ 192 mm	●	●	●	13
556 quartz grey		Height 26 mm ⊕⊕ 160 mm N	●	●	●	-	733 black matt		Height 32 mm ⊕⊕ 192 mm	●	●	●	29
589 black		Height 32 mm ⊕⊕ 160 mm	●	●	●	-	734 black		Height 32 mm ⊕⊕ 192 mm	●	●	●	22
591 platinum		Height 30 mm ⊕⊕ 160 mm	●	●	●	22	736 bronze dark		Height 24 mm ⊕⊕ 192 mm	●	●	●	-
592 black		Height 31 mm ⊕⊕ 160 mm curved	●	●	●	-	737 brass light		Height 24 mm ⊕⊕ 192 mm	●	●	●	-
597 titanium		Height 30 mm ⊕⊕ 160 mm	●	●	●	-	738 bronze		Height 31 mm ⊕⊕ 192 mm	●	●	●	-
598 bronze matt		Height 30 mm ⊕⊕ 160 mm	●	●	●	22	740 stainless steel coloured		Height 36 mm ⊕⊕ 192 mm	●	●	●	-
707 stainless steel coloured		Height 32 mm ⊕⊕ 192 mm	●	●	●	-	751 stainless steel coloured		Height 36 mm ⊕⊕ 224 mm *	●	●	●	-
723 black brown		Height 32 mm ⊕⊕ 192 mm	●	●	●	18	784 black		Height 32 mm ⊕⊕ 320 mm *	●	●	●	29
725 black		Height 28 mm ⊕⊕ 192 mm	●	●	●	-	789 black brown		Height 32 mm ⊕⊕ 320 mm *	●	●	●	29

Handle collection

* On 30 cm wide units handles with drilling dimensions 224 and 320 mm are only available with vertical handle position.
* On 40 cm wide units handles with drilling dimensions 320 mm are only available with vertical handle position.
The following are alternative handles with horizontal handle position: 751 = 740, 784 = 725, 789 = 723, 792 = 592, 794 = 543, 795 = 544

H V M			Handle arrange- ment ● = possible	Surcharge (points)	H V M			Handle arrange- ment ● = possible	Surcharge (points)
H	V	M			H	V	M		
792 black				18	795 bronze matted				29
									
Height 31 mm ⊕⊕ 320 mm * curved					Height 22 mm ⊕⊕ 320 mm *				
794 brushed brass matted				29	831 stainless steel coloured				-
									
Height 22 mm ⊕⊕ 320 mm *					Height 36 mm ⊕⊕ 150 mm				

Bar handles

H V M			Handle arrange- ment ● = possible	Surcharge (points)	H V M			Handle arrange- ment ● = possible	Surcharge (points)
H	V	M			H	V	M		
811 stainless steel coloured				29	840 stainless steel coloured				45
									
Height 36 mm ⊕⊕ see table					Height 30 mm ⊕⊕ see table				
									

From a door height of 892 mm or panel width of 896 mm the bar handle will have 3 feet.

On doors with a width smaller than 296 mm, bar handles with handle length 182 mm will be supplied fitted vertically.

Front heights Front widths	Drilling hole distance	Handle length
296 mm (30)	150 mm	163 mm
396 mm (40)	250 mm	263 mm
446 mm (45)	300 mm	313 mm
496 mm (50)	350 mm	363 mm
546 mm (55)	350 mm	363 mm
596 mm (60)	450 mm	463 mm
746 mm (75)	450 mm	463 mm
758 mm (76,2)	450 mm	463 mm
796 mm (80)	650 mm	663 mm
896 mm (90)	2 x 375 mm	763 mm
996 mm (100)	2 x 425 mm	863 mm
1196 mm (120)	2 x 525 mm	1063 mm
508 mm	362 mm	375 mm
636 mm	490 mm	503 mm
700 mm	554 mm	567 mm
764 mm	618 mm	631 mm
828 mm	2 x 340 mm	695 mm
892 mm	2 x 373 mm	759 mm
924 mm	2 x 389 mm	791 mm
988 mm	2 x 421 mm	855 mm
1052 mm	2 x 453 mm	919 mm
1116 mm	2 x 485 mm	983 mm
1180 mm	2 x 517 mm	1047 mm
1244 mm	2 x 549 mm	1111 mm
1308 mm	2 x 551 mm	1175 mm
1436 mm	2 x 645 mm	1303 mm
1564 mm	2 x 709 mm	1431 mm
> 1564 mm	618 mm	631 mm

Front heights Front widths	Drilling hole distance	Handle length
296 mm (30)	150 mm	182 mm
396 mm (40)	250 mm	282 mm
446 mm (45)	300 mm	332 mm
496 mm (50)	350 mm	382 mm
546 mm (55)	350 mm	382 mm
596 mm (60)	450 mm	482 mm
746 mm (75)	450 mm	482 mm
758 mm (76,2)	450 mm	482 mm
796 mm (80)	650 mm	682 mm
896 mm (90)	2 x 375 mm	782 mm
996 mm (100)	2 x 425 mm	882 mm
1196 mm (120)	2 x 525 mm	1082 mm

Bar handles

H

V

M

Handle arrange-ment

● = possible

H

V

M

Surcharge

(points)

59

842 black

Height 35 mm
⊕⊕ see table

On doors with a width smaller than 296 mm, bar handles with handle length 170 mm will be supplied fitted vertically.

Front heights Front widths	Drilling hole distance	Handle length
296 mm (30)	150 mm	170 mm
396 mm (40)	250 mm	270 mm
446 mm (45)	300 mm	320 mm
496 mm (50)	350 mm	370 mm
546 mm (55)	350 mm	370 mm
596 mm (60)	450 mm	470 mm
746 mm (75)	450 mm	470 mm
758 mm (76,2)	450 mm	470 mm
796 mm (80)	650 mm	670 mm
896 mm (90)	2 x 375 mm	770 mm
996 mm (100)	2 x 425 mm	870 mm
1196 mm (120)	2 x 525 mm	1070 mm

H

V

M

Handle arrange-ment

● = possible

H

V

M

Surcharge

(points)

85

843 brushed brass

Height 35 mm
⊕⊕ see table


On doors with a width smaller than 296 mm, bar handles with handle length 170 mm will be supplied fitted vertically.

Front heights Front widths	Drilling hole distance	Handle length
296 mm (30)	150 mm	170 mm
396 mm (40)	250 mm	270 mm
446 mm (45)	300 mm	320 mm
496 mm (50)	350 mm	370 mm
546 mm (55)	350 mm	370 mm
596 mm (60)	450 mm	470 mm
746 mm (75)	450 mm	470 mm
758 mm (76,2)	450 mm	470 mm
796 mm (80)	650 mm	670 mm
896 mm (90)	2 x 375 mm	770 mm
996 mm (100)	2 x 425 mm	870 mm
1196 mm (120)	2 x 525 mm	1070 mm

Corner solutions

With drawers (SK) and pull-outs (AZ) on corner solutions the planning dimension mustn't fall below of 650 x 650 mm.

Due to technical reasons an opening angel of 107° isn't achievable.




Corner solutions

With drawers (SK) / pull-outs (AZ) and hinged doors with opening angle 96° on corner solutions the planning dimension mustn't fall below of 650 x 750 mm respectively 750 x 650 mm.

With corner base units the maximum planning dimension is 750 mm.

Due to technical reasons an opening angel of 107° isn't achievable.



Bar handles

H V M			Handle arrangement ● = possible	Surcharge (points)		
			H	V	M	
844 cashmere oak					●	66
						
845 walnut light					●	72
						
Front widths		Drilling hole distance	Handle lengths			
			Drawers, pull-outs and flaps		Doors	
196 mm (20)		132 mm	192 mm		-	
296 mm (30)		232 mm	292 mm		192 mm	
346 mm (35)		2 x 141 mm	342 mm		-	
396 mm (40)		2 x 166 mm	392 mm		292 mm	
446 mm (45)		2 x 191 mm	442 mm		342 mm	
496 mm (50)		2 x 216 mm	492 mm		392 mm	
596 mm (60)		178 / 176 / 178 mm	592 mm		492 mm	
746 mm (75)		178 / 2 x 163 / 178 mm	742 mm		642 mm	
796 mm (80)		178 / 2 x 188 / 178 mm	792 mm			
896 mm (90)		178 / 2 x 238 / 178 mm	892 mm			
996 mm (100)		178 / 3 x 192 / 178 mm	992 mm			
1196 mm (120)		178 / 250 / 276 / 250 / 178 mm	1192 mm			

On doors the handle is shortened on both sides.
Colour deviations are possible in combination with melamine fronts.

H V M			Handle arrangement ● = possible	Surcharge (points)		
			H	V	M	
846 urban walnut					●	72
			Height 22 mm ⊕⊕ see table N			
847 Angora grey					●	72
			Height 22 mm ⊕⊕ see table N			
Front widths		Drilling hole distance		Handle lengths		
				Drawers, pull-outs and flaps	Doors	
196 mm (20)		112 mm		192 mm	-	
296 mm (30)		212 mm		292 mm	192 mm	
346 mm (35)		2 x 131 mm		342 mm	-	
396 mm (40)		2 x 156 mm		392 mm	292 mm	
446 mm (45)		2 x 181 mm		442 mm	342 mm	
496 mm (50)		2 x 206 mm		492 mm	392 mm	
596 mm (60)		168 / 176 / 168 mm		592 mm	492 mm	
746 mm (75)		168 / 226 / 168 mm		-	642 mm	
746 mm (75)		168 / 2 x 163 / 168 mm		742 mm		
796 mm (80)		168 / 2 x 188 / 168 mm		792 mm		
896 mm (90)		168 / 2 x 238 / 168 mm		892 mm		
996 mm (100)		168 / 3 x 192 / 168 mm		992 mm		
1196 mm (120)		168 / 250 / 276 / 250 / 168 mm		1192 mm		

On doors the handle is shortened on both sides.
Colour deviations are possible in combination with melamine fronts.

Handle combination

H V M			Handle arrangement ● = possible	Surcharge (points)
				
715 consisting of:				
152 antique brown			●	10
				
311 antique brown				
				

Panels and pull-outs are supplied with the corresponding handle.
Doors and flap doors are supplied with the illustrated knobs.

H V M			Handle arrangement ● = possible	Surcharge (points)
				
99301 consisting of:				39
150 stainless steel coloured				
			Height 28 mm ⊕ 0 mm	
99301 stainless steel coloured				
			Height 2 mm ⊕ 192 mm	

Framed glass doors and flaps will be supplied with knob 150.
Sole supply of the rail handle is not possible since it is front integrated.
Only available on door width with minimum 296 mm.

Handle combination

H			V			M			Handle arrangement ● = possible	Surcharge (points)
H			V			M				
99315 consisting of:										
154 black										
										
Height 28 mm ⊕ 0 mm										
99315 black										
										
Height 2 mm ⊕ 192 mm										
										42

Framed glass doors and flaps will be supplied with knob 154.
Sole supply of the rail handle is not possible since it is front integrated.
Only available on door width with minimum 296 mm.


Handle strips

H	V	M	Handle arrangement ● = possible			Surcharge (points)
			H	V	M	
						
980 stainless steel coloured					●	50
			Height 20 mm ⊕			
982 black					●	53
			Height 20 mm ⊕			

Front widths	Handle length
146 mm (15)	146 mm
196 mm (20)	196 mm
246 mm (25)	246 mm
271 mm (27,1)	271 mm
296 mm (30)	296 mm
346 mm (35)	346 mm
396 mm (40)	396 mm
446 mm (45)	446 mm
496 mm (50)	496 mm
546 mm (55)	546 mm
596 mm (60)	596 mm
746 mm (75)	746 mm
758 mm (76,2)	758 mm
796 mm (80)	796 mm
896 mm (90)	896 mm
996 mm (100)	996 mm
1196 mm (120)	1196 mm
1496 mm (150)	1496 mm
1796 mm (180)	1796 mm

Handle arrangements

If delivery without handle and handle drilling is desired, please note order no. 998.



Horizontal (H)


Arrangement of the handle drilling horizontal on doors, centrally horizontal on panels and flap doors.

For handles with a 128 mm, 150 mm, 160 mm and 192 mm drilling hole distance, the handles are installed vertically on doors with a width of 246 mm and less!



Vertical (V)


Arrangement of the handle drilling vertical on doors, centrally horizontal on panels and flap doors.



Horizontal central (M)


Position of handle drilling horizontal central on doors, panels and flap doors.

For handles with a 128 mm, 150 mm, 160 mm, 192 mm and 224 mm drilling hole distance, the handles are installed vertically on doors with a width of 246 mm and less!




**Bar handle
811**

Pharmacy-style pull-outs are supplied with a horizontal bar handle.



**Bar handle
840, 842, 843**

The bar handle, with a drilling hole distance of 150 mm, will be installed vertically on doors with a width of less than 296 mm.



**Handle strips
980, 982**